3

Yi 2
7399
F 39

Discuss & Disorders of the Liver.

V where these Symptoms are absent there is often nothing but preternatural excitement, and where they are present the liver is one case which I examined, after exhibited no one mark of Disease.

† Dr Sydenham describes a Dry Colica Pictonum = ties in which nothing is discharged upwards and downwards but air. This air I believe to be a fluid formerly mentioned is a Secretion from the liver.

I ~~shall~~ have treated of the hepatic state of
liver. I shall now take notice of ~~its chronic~~
the next disease I named viz.
~~Diseases and Disorders.~~

~~I shall~~ From the Office I have assigned to
the liver, you will readily suppose its healthy
Actions are of great Consequence to life, and
that energy cannot act upon it so as to in-
-sure disease & Disorder.

I ~~shall~~ ~~I have~~ the preternatural Function &
excretion of Bile Chyle and Water. Perhaps I might
add Jaundice ~~of the liver. &c~~ The Secretion of bile
or diarrhea - a loose of is attended with sickness, Vomiting
a sallow Complexion. fever, head Ache
Disease &c depression, & sometimes
The Causes of this
Disease are
the force of remote Cause
~~1~~ Intemperance in the Use of ardent Spirits.
The first Use of these powerful liquors is hap-
-pily characterized by the fable of Prometheus,

who is said to have stolen fire from heaven.
Their effects are as happily characterized by
the punishment of this theft. It who - or
Vulture preying upon his liver.

2 Intemperance in eating, especially high
seasoned & fat animal food. Hence we
so often meet with this disease in full feeders.
The large liver of the turkey is said to be owing
to its excess in eating food Aliment.

3 Great heat. Hence it occurs most frequently
in warm Countries & hot weather.

4 Violent exercise.

5 The motion of a ships at sea, or the
bile in this case is thrown into the stomach.

6 Violent emotions & passions of the mind,

its frequency in the Southern states.

12 They constitute $\frac{5}{10}$ of its causes, and have as

12 It is the evanescent symptom of

an Inf Com[n] of the liver.

13 Dr Pratt says he has often found

Worms in the livers of persons that

have been affected with this form

of hepatic disease - Perhaps they exist

there in order to prevent the ~~disease by~~ effects

Should be p: 6 A

Its Remedies are ~~full~~ full ~~-~~ Calomel ~~C~~ - Blisters to wrists

Side - Whisky - a Vegetable diet, ~~and~~ exercise -

- a mild Climate and tonic conditions.

The next Disease is p 88 of

printed Copy.

particularly angry.

6 the Gout. This discharge of bile is so com-
=mon in the Gout that Dr Dunnin supposes
it to be the Gout to be seated in the liver,
& that Gouty symptoms owing where arise
from it. The Opinion is erroneous, and
is refuted Not only by the history of Gout,
but by the Analogies of all other diseases.

7 Contusions & diseases in the head. Of this there are
many wounds in the history of medicine.

8 The bite of the Rattlesnake & of some
other poisonous Snakes. It is always attended
when death is induced, by a pitching of bile.

9 a Diseased uterus. Mrs Gordon's case.

10 Obstructed Splen.

11 Miasmata- it is
ata or in where they Dont produce Hepatitis. V

+ It is this ~~un~~ limpid fluid resembling wa-
-ter which I have supposed, formed the
immense discharge of water from the
kidneys which is called Diabetes ~~Insipidus~~.
— In the case I have related it was a Diabetes
~~Poor~~ turned upwards. This water sometimes passes
from the bowels in watery stools. — It is water drawn off
liver. ~~It~~ I have ~~been~~ accumulated ~~— not~~ as
‡ This whitish matter I believe to be Chyle
~~Discharged from the bowels probably~~ perhaps
and that it ~~constitutes that form~~
~~it may not be supposed to add turpitude~~
~~Chyle~~. ~~the basis~~ I ~~suspect~~ believe that ~~forms~~
of Diarrhoea which is called the Celiac
flux, is ~~nothing but a Discharge of im-~~
~~-perfect Chyle from~~ the bowels. The
stools in this case are always white.
~~And~~ It is ~~a Local Disease~~ an intestinal Diabetes Chylosus.
The Chyle instead
It ~~accords with nutriment~~ of being absorbed
by the Lacteals & passing out of the System by
the kidneys - salivary Glands - lungs &c &c
~~passes~~ ~~is voided~~ only thro' the bowels. When
it is discharged by the kidneys it is a
Renal Diabetes Chylosus.

The matters which are
~~The bile~~ ~~The water is a great difference in the~~
~~Color & quality of the bile which is~~ discharged.
from the liver are ~~It is~~ green - yellow - dark colored - bloody, or
~~rather reddish - whitish or~~ Chylous, black & ~~and tasteless as Rock water~~. The his water
= cured in the last of
merchant of this city. I
B. Fuller I have seen
him discharge ~~a large~~ quarts of it a time,
and with but little pain. Upon examing
his gall bladder after death, we found it
filled with the same kind of ~~tasteless~~ water
that he had been in the habit of discharging
for many years. There were several small
gall stones in his gall bladder which had
polished themselves by their attrition
upon each other. They are now in the
possession of Dr. Physick. + ~~In the matter of~~ ch

This preternatural secretion & excretion
of Bile, has been called by various names.

When it badly digests the stomach with
nausea, or vomiting, poisons are said to
be bilious. When it creates a diarrhea it
has been called an Idyopathic flux. Considering
that
~~the nature~~ of the liquor thus discharged
is a part of the chyle formed by the 2d
process of nature for that purpose, I think
bilious watery or chylous
it might be called a Diabetes of the liver,
according to the quality of the matter discharged from it
~~matter~~ It will be difficult to tell when
hepatic & when Cystic
bile is discharged. The
latter I presume is always increased with
the former, and they must necessarily
be mixed in the
~~ductus~~ Idyopathic
alimentary canal.
alone, only when
bile can be discharged
is prevented by an
the excretion of bile
Cystic Duct. & this
Obstruction of the
in this disease.
I believe is often the case

bilious, Chylous and watery Diabetes of the liver

This ~~Disease~~ is often confined to the Duration of the Cause which excites it, but it is often of a Chronic nature, and continues for many years. ~~The~~ It is sometimes ~~the Remedies fail~~ attended with Worms. Dr Parrot says he has often found worms in the ~~bowels~~ guts of persons whose livers have secreted an unusual Quantity of bile. To the final cause of the existence of Worms (which I formerly assigned) in all young Animals, viz a corrective, ~~it did~~ viz to consume superfluous Chyle - Then we can account at once for this existence in this Disease - It is superfluous or to consume the redundant Chyle secreted by the ~~liver~~ liver. disease

A The Remedies for this ~~Diabetes~~

7

Of the Liver are palliative & radical.

The 1 Or palliative 1. V.S. if the pulse be full or tense
2 gentle emetics and purges. The former should be
used rarely and cautiously. I think I have
seen them do mischief in a physician
in this city who resorted to them very much or ten
days. The purges should be magnesia-
Rhubarb & Calomel - & now then I also
Calomel.

℥ a Draught of hot water every morning.
This is highly commended by D Saunders.
It must be drunk by diluting it
must be redundant, and most acrid, that is
in the morning. From a small tea-
-ful to half a pint, may be taken at a
time. The heat of the water gives it a
moderately tonic power.

4 Fasting. This should be as complete as the System can bear, and at least once a week. Recollect Dr Franklin's practice, & the fast of Redi, of famine rendering the bowels clean & even white.

5 Blisters. — I have used them with great advantage. It is probably in Diarrhoea from this cause, that Blisters do so much service in the manner formerly mentioned.

The IInd or radical Remedies are

1 avoiding all its exciting causes, particularly the two of its most common causes - viz ardent Spirits, and fat Animal food.

2 Reduced diet. The stomach often retains its healthy actions in this disease, or it is under the influence of a preternatural appetite & hence the double, and diseased labours of the liver. The less nourishing diet, the better. Rice potatoes — Dry bread should be preferred with a small quantity of fish, or lean meats.

3 If the stomach be affected with Dyspepsia,

11

V the Liver is ~~often affected~~ Sometimes affected with ~~a Lie~~ what I have called a Lientery — that is a discharge of its Chyle in to ~~the Chest~~ crude a state that it passes out of the bowels in a Diarhea known by the name of hepatic flux. I have suspected what is called Celiac flux is nothing but Chyle unmixed with bile. — The ~~stomach~~ appetite & digestion in this disease are unimpaired. Its Remedies are Depletion — particularly a spare — vegetable Diet. In° Hall's case. —

which is often the Case, all the remedies
for it should be prescribed. The more
imperfectly the stomach performs its labors,
the more imperfect chyle it will give
the more imperfect the blood. The
Waters have often performed great cures of
this disease — they strengthen the
stomach, depalliate the symptoms,
by diluting the bile. also salts soda &c
4 Frictions upon the region of the liver, or
gently stimulating plasters.

5 Calomel in such doses as to gently to
affect the mouth. The disease is always
suspended by this medicine, and when
aided by others, usually cured.

6 a Change of Climate where it is ir-
=ritated by a hot one, and travelling to a cold &

¶ It is indeed by most of the causes that induce Dialects of the liver, when protracted for a length of time.

¶ It is more common in the west Indies & hot Countries, than in Northern & Middle latitudes, from excitab.y being so much expended by heat that the vessels in the liver are unable to emit the tones of Inflam.n from the impressions that induce it. They descend directly below Disease to disorder. ¶ It may

10

This disease is often confined to the Duration
of the Cause which excites it, but it is often
of a Chronic nature, and
Disorders of the liver.
and 1st and

The [illegible] or next affection of the Liver that I shall
mention is An Obstruction of the secretion &
Excretion of bile. It is often
Diabetes of the liver. all the forms
of the disease
occurs in the first Stage of yellow fever.
but as it sometimes in

Drunkards. after having been red, or yellow
for a number of years. they gradually become
pale, from an absence of bile in their blood.
This pallid appearance in Drunkards is generally
a forerunner of Death. It marks the highest
grade of Drunkenness, as white does the highest
grade of heat. 2 It exists frequent attach-
of Abdominal fever. 3 It exists Hypolitis,
4 It sometimes attends Scrophula. The
Obstructions is attended with different degrees

be known by the face appearing not
a yellow, but a sallow or olive color, &
sometimes a pale color

~~V The liver is subject to dropsy~~

+ The liver participates in health and sickly
sensibility, and this it even loses by disease.
~~It is even more tortured in its fibres by Hypochondria~~
~~than~~ An Abscess often exists in it for years unsuspected
without detection, as in Stanwood Ford - It
belongs to Dumb disorders.

of hardness, from that of Dry flesh up to Schirrus. The liver in this torpid state resembles the brain in fatuity. I have called it, after Dr Pinel, Hepitalgia. It has its grades. When it occupies the whole liver ~~has its grades~~ It is attended with some pain, ~~& when~~ enlarged, with difficult decubitus on the left side. It continues in some instances for many years, but it generally ends in less time in Ascites. ~~Dropsy from the rupture of the lymphatics of the liver,~~ the lymphatics being numerous in this viscus, the cessation of their healthy actions, naturally produces that disease from the seat it occupies, in the abdomen.

- These Obstructions in the liver are more frequent than is supposed, especially as they often exist with but little or no pain or enlargement, and believe produce many other diseases besides Dropsy. † From the unimportant

V You will perceive at one glance the
~~Scale~~ descending Scale of ~~Causes which produce~~
the diseases and disorders of the Liver which
I have described, and all them derived in
great measure from the same cause
viz Miasmata. They are 1 a diffused
bilious fever. 2 Acute and chronic
Hepatitis - or a suffocated bilious fever, answering
to ~~pulmonical~~ head ache instead of intermittent fever.
3 preternatural Secretion & excretion
of Cyst ~~from~~ of ~~bile~~ hepatic bile. ~~mixed with cystic~~,
4 of Chyle 5 of Water from the liver - 6 to
~~4~~ lastly ~~these symptoms~~ 6 & 7 black
matter, or blood not coagulable. 8 and
lastly a suppression of both Secretion & excretion
in Hypochondria. They are all children of one
parent - viz Miasmata. — Take notice
all these forms of diseases are sometimes
Continued.

part the liver performs in preparing the
nourishment of the body, I think it pro=
=ves that the suspension of its office, is often
the cause of atrophy - emaciation - or a waste
of the body without fever - I am sure Dys=
=pepsia - and pulmonary Consumption are
produced by its inability to ~~assist in~~ do its duty
~~in the~~ assigned to it in the animal Oeconomy.

It sometimes ends in a fatal haemorrhage
through the bowels.

V

The Remedies for Hepitalgia - are

1 A Caustic to the external region of the liver.
I have once seen the liver recuperate by
this remedy, & an incipient Dropsy thus
~~prevented~~ cured. — Dolby Redman.

2 The Cold Bath. The late Dr Denmandie
assured me, he had seen it cured by this

+ all kinds is probably from its assu-
=ming unknown, & unsuspected obstru=
=tions in the liver.

Schirrus - to be treated as Hypatalgia -
Scrofula - by Remedies to be mentioned
hereafter. —

V Its Symptoms, are yellowness all over the
body, but most manifest in the eyes -
tongue - Dyspepsia of spirits - costiveness
white Stools - urine (then Diarrhœa (proba-
=bly when from Obstruction of Cystic duct
only) - itching of the skin - a slow fever,
but frequently a natural pulse & heat -
Costiveness is said to occur chiefly in young
people - but is frequently in old people,
& rarely in Drunkards. - The tongue
urine ~~yellow~~ - nor humors of eye - loses no bitter
taste or yellow vision.

remedy in Bristol in Pennsylvania.

3 Frictions and stimulating applications to the region of the liver.

4 Calomel in small doses continued for months & years. A salivation is said to do heroism in it when it arises from sthenic. The great Utility of ☿ in chronic diseases of 6 Travelling, when gentle & persisted in for years, at moderate intervals, has often cured this disease. 5 Stimulants tonics of all kinds: espucially Chalybeates

A 3rd ~~Disease of~~ disorder of the liver is

Jaundice

Its causes are transient & chronic. The

1 are from a spasm on the Ductus Com: bilifer & intransmitting fever - hence it is epidemic in autumn. induced by fear - anger or any other cause, pressure from contiguous parts - as the colon when distended with faces, or the uterus in pregnancy - the chronic, or

V or ~~Uterus~~ 5th Distention of purpose of Uterus in pregnancy.

O & Dr Monro mentions a case of
Jaundice from the common Duct becoming
impervious or growing up from dis-
=ease. Of matters in the Duodenum such
as coagulated Milk obstructing the passage of
the ~~so~~ bile into it. To the notice Dr. this
the Obstruction is only in the ~~Cystic~~
common Duct. Dr ~~Bonthor~~ mentions that he once saw the Cystic Duct
so closed by two gall stones that no Air
could pass thro it & yet the patient died with-
-out Jaundice. Dr Rutherford saw a similar
Absence of Jaundice where the Cystic Duct was
Obstructed by a gall stone as large as a Nutmeg.
When a Jaundice occurs from an Obstruction
of this Duct only, it is supposed the the obstruc-
-ting matters communicates impressions from the
insensible Cystic Duct to the exquisitely
sensible termination of the Common
Duct in the Duodenum; which being excited, the
is constricted, and thus the hepatic bile is retained
and absorbed, or regurgitates into the blood. This is
then over- ciser senses.

14

permanent causes are inspissated bile, or

2. gall stones obstructing the cystic, or

common Duct, or a tumor or Schirrus

in the pancreas. V in those Ducts. 3 when the obstruction is

seated in the cystic duct only - the nourishment of the body goes

on as usual, & hence we often see this dis-

-ease continue for many years without

impairing health or life. There have

been many disputes whether bile can

exist in the blood. Dr Roberts has clearly

proved its presence in the blood in a Jaun-

-dice by several experiments. There have

been disputes whether the bile is conveyed

into the blood by absorption, or regurgitation.

— It is probable in both ways. I think it

probable the black jaundice as it is called,

* Dr Stoll has given us an account of three cases of fatal Jaundice in which no Obstruction of any kind was discovered in the Cystic or hepatic Ducts. The Obstruction was probably from a tonic Spasm which closed after Death.

† Dr Stoll says he once saw the Cartilages & bones tinged with Bile, while the brain & humors of the eyes were of their natural Color. —

is produced by the absorption of bile ~~the~~ unde-
-rd blacke by long stagnation in the gall
bladder. Dr Smith observes
very hence been derived originally, from this
cause. ~~Dr Stoll has given~~

Persons of all ages are subject to the Jaundice
I have seen it in new born Infants. It attacks
the Sexes nearly alike. Out of 100 patients
whom Dr Kiberden attended in a given time,
52 were men & 48 women.

Objects are seldom coloured in the eye
by this disease, owing to the bile tinging
the tunica Conjunctiva only; & not the
humors of the eye — nor is the color of the
the quality of the milk of nurses always
tongue nor ~~of the~~ the taste of the saliva affected
by the bile which floats in the blood. Milk
& oysters ~~& milk~~ have their natural taste,
but other Aliments & some liquids sometimes
— excite a bitter taste on the tongue. +

V Sa a low fever & cause probe attend;
VS: — I have bled twice in this disease
with Leeches in the in the Year 1803
Obstruction here is accompanied with
some of the usual Symptoms of hepatic
inflammation. Some of your cases are
instance of great relief being given by this
remedy in Jan: 1809 In the year 1806
I bled a very Earnest half a dozen times in
a jaundice attended with a th Fever
& tense blood. But I did
not cure her. the blood was uniformly
dizy. — a fever accompanying Jaundice
chiefly from accident of VS:
is considered as alarming. It is so I believe
a
it — Cases being performed by
I am now bleeding a Mr Smiley for
this disease attended with general dropsy.
Feb: 12. 1811.

The Remedies for Jaundice
Symptoms &
must be regulated by its Causes. If from spasm
(in which it is always transient) Opiate-
Cathartics - the warm Bath & afterwards
tonics. - If from the pressure of contigu-
-ous parts - removing them by pressure if in
the Colon - and depressing the Uterus if from
pregnancy. - If from an Obstruction
of bile from its viscidity, - by emetics -
- gentle purges + mineral waters Soap
and mercury. - If from gall stones
Drinking large quantities of warm waters
to relax the Obstructed duct & shocks of
Cystic duct -
Electricity. If all of marylond plates
a Cure suddenly performed from the
Dr Darwin likewise mentions
Cathartic remedy I shall mention other remedies
- this insanity

& The juice of the Dandylyon has
been found useful in this disease as
well as in all other Cases of disorder
Dr Zimmerman prescribed
extract of it every year for
obstructions. I have seen
from the juice of it &c.

the liver.
Two of the
hepatic
great benefit

The following prescription has been found
useful in removing bilious concretions
in the cystic & common duct. Potash
Guaiacum ā ʒ/ss Castile Soap ʒi Brandy
di from 1/2 to a wine glass full to
be taken three times a day.

The Jaundice is sometimes
= flammation in the liver, in which
full or tonic. Iodine is useful. I used this
remedy several times with success in our hospital
about the year 1803.

A Jaundice among, mild with fever &
case pulse is always alarming. I
last a severe Jaundice with this symptom of
Jaundice last year. I did her often - her
blood was uniformly tiny - ½ would
not act upon her - She died.

IV. Jaundice is a ~~an~~ Disorder in the liver which I have sometimes met with which I shall ~~call~~ Designate by the name of Crossiveness. ~~Of the~~ It consists in a preternatural accumulation of bile in the gall bladder, & a stagnation of it from a torpid state of its fibres. The stools are white in this case, but are dark coloured when discharged by active purges. ~~It~~ It is to be cured by purges & such medicines as excite the gall bladder. Mercury should be prefered for this purpose.

V

9. Gall Stones belong to the Diseases & Disorders of the Liver.

They are formed from the bile, and ~~of a very~~ differ from each other in the following particulars. 1 in Size - being no larger than a ~~grain of~~ small pea, up to a small egg.

2 In figure being rough & angular, or highly polished from their frictions upon each other.

3 In Number being from one to 114. That immense Number of Gallstones Dr Shattuck tells us were found in the Gallbladder of a person ~~in~~ Dissected in ~~Dover England~~ by Dr Prescott of Groton in Massachusets.

4 In weight - from five grains to ℥i ℥ij ℥iij

9r ij. A Gall Stone of the latter weight is mentioned by Dr Letsom in the 1st Vol: of the Medical Memoirs of the Medical Society of London.

5 In their Consistence - They are soft of the consistence of Cotton, to and nearly as solid as stone.

10. ij ounce.

⊙ The Liver exhibits the following appearance after death in the diseases & disorders which have been described.

After Hepatitis & Hydatids — 1 great enflammation — 2 Adhesion to the Diaphragm this which matter passed into the lungs, by means of Adhesion of the Diaphragm & also independant Abscesses in liver & lungs or pus lungs. 3 A large Abscess filled with pus - bile & blood & communication between this Abscess & all the parts into which the matter empties itself. These have been mentioned already.

5 Great Congestion of blood in the liver. 6 Great enlargement of the liver from congestion with and without hydatids or Schirrus so as to weigh in one case 27 pounds.

7 A diminished size of the liver. This is taken notice of by Dr Saunders. Jones saw in a Coma. Leary in the P. Hospital. & an absorption of the substance of the liver. called by I. Hyrtle This was the case in Sir Wm Jones. & a Color like the Splen. & Jaundice

partial Schirri, ~~do~~ or general, and
also tubercles.
partial scrophulous tumors. " The coats of
the gall bladder sclirrous & bony. 12 a
great dilatation of the hepatic - Cystic
and Common Ducts - to an inch in Diameter.
a
13 Round - or angular stones in the Gall
bladder, or in its ducts. When there is but
one it is round - when more than one
they are angular & generally polished.
14 Gangrene. One case only of this State of
the liver is upon record. Perhaps a bloody
congestion was mistaken for it. W Bailie
says he never saw a case of it. 15 tumors
tumors -

I shall now Quote from a large
mass of Empirical Rubbish, and from
my own Observations delivered to you
a short Acc[t] of all the diseases & disorders
of the liver. But you are not to expect
to find them in the distinct states in w[h]
I have described them. In no Viscus
do diseases & disorders anastamose
[if I may be allowed the expression] more
than in the liver. They are blended,
they succeed each other - they alternate
with each other - they simultaneously
produce each other - 29: Bilious & gallstones
& gall stones Bilious. - Watch
their changes narrowly - forget the Hepatic
Prosology - attend to the pulse, - and prescribe for
the state of the system should
it vary a Dozen times a day. -

~~Worms have been found in the~~

~~London~~ A remarkable Dissection of this

kind is recorded by Dr Bond in one of the

Vol: of the London med: Obs: & Inquiries.

V VI Schirrus - death

Diseases &

Disorders of the Spleen.

From the important use I have ascribed to this

Viscus; ~~&c~~ its diseases & disorders ~~Dislocations of it~~ from all this cause

must be attended with injurious Consequences to

the system. If the costiveness of it produce

disease in the Stomach, liver - bowels - urinary ~~pain~~

& genetal organs - and ~~by~~ ruptures of the blood vessels,

in ~~some~~ part of the body

then let us suspect it to cease to perform its

functions when ever we find ~~the~~ disease in

the parts that have been wounded, or hemorrhages from any part of the body, and let our

Remedies be directed to remove its Obstructions.

These ~~shd~~ be done by: - purges - frictions - &

exercise: — I believe all its diseases &

but according to Dr Baillie seldom inflamed.
here it is rarely found in a state of suppuration.

In the use of the Lancet, a physician becomes the
servant of nature; that is he will perceive her
gentle hand to trouble her with
the weight of her full basin or reservoir of
he will draw off to her relief
of redundant, and tumultuous blood & the will
promptly stretches forth his hand, and
receives the overflowing stream into a bowl,
and thereby saves her existence from destruction.

In the months of April 1806 I attended the
dissection of a woman by Dr Stewart in whom
the Spleen had suppurated - part of the matter
pointed outwards, but the great mass of it
was emptied thro an adhesion to y Diaphr
into the lungs in which was an abscess.
She had expectorated pus before her death.

~~23~~ 30

disorders are like those of the liver - producing ~~too much~~ having too much to do - that is, by the effect of depletion, particularly Dy. by which means it is over distended - obstructed - or ruptured ∨ ∧ hence said from Dr Baillie that the Splen will retain from 3 to 4 pounds of blood without having its texture in the least altered - But we often find it distended with double that quantity of blood, or we see the effects of it in its enlargement to 7 or eight times its all ~~those cases~~ natural size & weight. In all these cases - there is reason to believe Death has been induced by the want of sufficient Dy: if the disease has been originally an acute one. Let no man hereafter deny the use of the Lancet. In doing so, he will call in Question the Wisdom & goodness of the ~~rebel against the~~ Creator ~~makes of our bodies~~ in the formation of the Splen. ~~With~~ ~~By~~ ~~the use of the lancet, he will follow~~ ~~the~~ ~~Nature and relieve from the~~

The Remedies for its Obstructions
& enlargements should be the same as for
Hepatic Obstructions. Caustics to the
side have been found highly useful in
the East Indies.

Dissections exhibit the following
morbid appearances of this Viscus
After Death. 1 Great enlargement — 2
Ruptures — 3 ~~Scirrhi~~ a Diminished size.
5 Schirrus. 6 preternatural Softness.
7 Scirrhi Suppuration — 8 Ulcerous
mortifications. —
41

Look pale to Liver — Liquor
it in all Chron Diseases — Remember
Dull Sensibility —